Summary of scab.secform.se [Desktop Version] Website Security Test

FINAL GRADE



DNS

SERVER IP 51.195.41.240

REVERSE DNS web1.anonform.com

CLIENT Desktop Browser **INFO**

DATE OF TEST March 10th 2021, 10:16

SERVER LOCATION London

Web Server Security Test

HTTP RESPONSE

REDIRECT TO

ANON

NPN

ALPN

200 OK

https://scab.secform.se

SERVER SIGNATURE

H2 HTTP/1.1

CONTENT ENCODING

BR

WAF

N/A

LOCATION

HTTP METHODS ENABLED







HTTP REDIRECTS

http://scab.secform.se/

https://scab.secform.se/

Software Security Test

FINGERPRINTED CMS & VULNERABILITIES

No CMS were fingerprinted on the website.

Information

FINGERPRINTED CMS COMPONENTS & VULNERABILITIES

No components were fingerprinted on the website.

Information

GDPR Compliance Test

If the website processes or stores any PII of EU residents, the following requirements of EU GDPR may apply:

PRIVACY POLICY

Privacy Policy is found on the website.

Good configuration

WEBSITE SOFTWARE SECURITY

Website software and its components could not have been reliably fingerprinted. Make sure it is up2date.

Information

SSL/TLS TRAFFIC ENCRYPTION

SSL/TLS encryption seems to be present.

Good configuration

COOKIE CONFIGURATION

No cookies with potentially sensitive information seem to be sent.

Information

COOKIES DISCLAIMER

No cookies with potentially sensitive or tracking information seem to be sent.

Information

PCI DSS Compliance Test

If the website falls into a CDE (Cardholder Data Environment) scope, the following Requirements of PCI DSS may apply:

REQUIREMENT 6.2

REQUIREMENT 6.5

REQUIREMENT 6.6

HTTP Headers Security Analysis

MISSING OPTIONAL HTTP HEADERS

Access-Control-Allow-Origin Public-Key-Pins Public-Key-Pins-Report-Only Expect-CT

Permissions-Policy

SERVER

Raw HTTP Header

Server: ANON

STRICT-TRANSPORT-SECURITY

Raw HTTP Header

Strict-Transport-Security: max-age=63072000; includeSubdomains;

Directives

| Name | Description | |
|---------|---|--|
| max-age | Sets the time browsers must enforce the use of HTTPS to browse the website. | |

X-FRAME-OPTIONS

Raw HTTP Header

X-Frame-Options: SAMEORIGIN

X-XSS-PROTECTION

Raw HTTP Header

X-XSS-Protection: 1; mode=block

X-CONTENT-TYPE-OPTIONS

Raw HTTP Header

X-Content-Type-Options: nosniff

REFERRER-POLICY

Raw HTTP Header

Referrer-Policy: strict-origin-when-cross-origin

Content Security Policy Test

CONTENT-SECURITY-POLICY

Raw HTTP Header

Content-Security-Policy: default-src 'self'; connect-src 'self'; img-src 'self' data:; script-src 'self' 'unsafe-inline'; style-src 'self' 'unsafe-inline'; manifest-src 'self';

Directives

| Name | Description | |
|--------------|--|--|
| default-src | Sets the list of sources where browser is allowed to get every resource from, if not specified in another directive. | |
| connect-src | Sets the list of servers that browser is allowed to connect to, for instance with WebSockets. | |
| img-src | Sets the list of sources where browser is allowed to get images from. | |
| script-src | Sets the list of sources where browser is allowed to get scripts from. | |
| style-src | Sets the list of sources where browser is allowed to get style sheets from. | |
| manifest-src | Sets the list of sources where browser is allowed to get application manifest from. | |

CONTENT-SECURITY-POLICY-REPORT-ONLY

Cookies Security Analysis

COOKIE: PHPSESSID

Raw HTTP Header

Set-Cookie: PHPSESSID=ikt01gemuuk8515qhms0oe9f0bpcbfr4t32q5g2qsd7rvu7b; path=/; ; ; =

Attributes

| Name | Value | Description |
|----------|--------|---|
| path | 1 | Sets the path of the application where the cookie should be sent. |
| secure | • | Prevents browsers to send this cookie over an insecure connection. |
| httponly | • | Prevents client-side scripts to access the cookie by telling browsers to only transmit the cookie over HTTP(S). |
| samesite | Strict | Prevents CSRF attacks by not sending the cookies when the request comes from another website. |

External Content Security Test

No external content found on tested page.

Information